Title: METHOD AND DEVICE FOR GENERATING AND DETECTING A FINGERPRINT FUNCTIONING AS A TRIGGER MARKER IN A MULTIMEDIA SIGNAL

IN THE CLAIMS

The following listing of the claims will replace all prior listings of claims in the application. Inserted text is underlined, and deleted text is either struck through or shown in double enclosing brackets. No new matter has been added, and all claimed elements are supported by the specification as originally filed.

- 1. (Currently Amended) A method comprising:
 - providing a trigger time point $(T_n; T_{n+1})$ of a plurality of trigger time points within a multimedia signal,
 - the trigger time point $(T_n; T_{n+1})$ corresponding to a segment of a plurality of segments of the multimedia signal,
 - the trigger time point $(T_n; T_{n+1})$ corresponding to at least one of a predetermined distance from the start of the segment or a predetermined distance from the end of the segment,
 - each segment of the plurality of segments being identified by one of the plurality of trigger time points and corresponding to specific content to be shown to a user;
 - providing a representation of an action that corresponds to the specific content to be shown in the segment of the multimedia signal,
 - the trigger time point $(T_n; T_{n+1})$ indicating a time point within the multimedia signal at which the action is to be triggered during a playback of the multimedia signal;
 - deriving a fingerprint based on the segment of the multimedia signal; and associating the derived fingerprint with the action.
- (Previously Presented) The method according to claim 1, further comprising:
 storing at least one of the derived fingerprint or the representation of the action in a first database.

Serial Number: 10/564,297 Filing Date: January 10, 2006

Title: METHOD AND DEVICE FOR GENERATING AND DETECTING A FINGERPRINT FUNCTIONING AS A TRIGGER MARKER IN

A MULTIMEDIA SIGNAL

3. (Previously Presented) The method according to claim 1, further comprising transmitting at least one of the derived fingerprint or the representation of the action to a playback device.

4.-7. (Canceled)

- 8. (Previously Presented) The method according to claim 1, wherein the multimedia signal includes at least one of an audio signal or a video signal.
- 9. (Previously Presented) The method according to claim 1, wherein the action is selected from a group consisting of: retrieving and displaying additional information on a display, retrieving and playing additional information via a speaker, playing another multimedia signal instead of the multimedia signal for a period of time, interrupting the playback of the multimedia signal, executing control commands, and preparing a system for user inputs.
- 10. (Previously Presented) The method according to claim 2, further comprising storing at least one of the derived fingerprint or the representation of the action in a second database; and wherein the derived fingerprint is at least one of an audio fingerprint or a video fingerprint.

Title: METHOD AND DEVICE FOR GENERATING AND DETECTING A FINGERPRINT FUNCTIONING AS A TRIGGER MARKER IN A MULTIMEDIA SIGNAL

11. (Currently Amended) A device comprising:

- a fingerprint module implemented in hardware, the fingerprint module being configured to:
 - provide a trigger time point $(T_n; T_{n+1})$ of a plurality of trigger time points within a multimedia signal,
 - the trigger time point $(T_n; T_{n+1})$ corresponding to a segment of a plurality of segments of the multimedia signal,
 - the trigger time point $(T_n; T_{n+1})$ corresponding to at least one of a predetermined distance from the start of the segment or a predetermined distance from the end of the segment,
 - each segment of the plurality of segments being identified by one of the plurality of trigger time points and corresponding to specific content to be shown to a user; and
 - provide a representation of an action that corresponds to the specific content to be shown in the segment of the multimedia signal,
 - the trigger time point $(T_n; T_{n+1})$ indicating a time point within the multimedia signal at which the action is to be triggered during a playback of the multimedia signal; and

derive a fingerprint based on the segment of the multimedia signal; and a database module configured to associate the derived fingerprint with the action.

- 12. (Previously Presented) The device according to claim 11, further comprising:
 a first database to store at least one of the derived fingerprint or the representation of the action.
- 13. (Previously Presented) The device according to claim 11, further comprising:
 a transmitter to transmit at least one of the derived fingerprint or the representation of the action to a playback device.

AMENDMENT AND RESPONSE UNDER 37 C.F.R. § 1.116 - EXPEDITED PROCEDURE

Page 5 Dkt: 2167.052US1

Serial Number: 10/564,297

Filing Date: January 10, 2006

Title: METHOD AND DEVICE FOR GENERATING AND DETECTING A FINGERPRINT FUNCTIONING AS A TRIGGER MARKER IN

A MULTIMEDIA SIGNAL

- 18. (Previously Presented) The device according to claim 11, wherein the multimedia signal includes at least one of an audio signal or a video signal.
- 19. (Previously Presented) The device according to claim 11, wherein the action is selected from a group consisting of:

retrieving and displaying additional information on a display,

retrieving and playing additional information via a speaker,

playing another multimedia signal instead of the multimedia signal for a period of time,

interrupting the playback of the multimedia signal,

executing control commands, and

preparing the device for user inputs.

20. (Previously Presented) The device according to claim 12, further comprising a second database to store at least one of the derived fingerprint or the representation of the action; and wherein

the derived fingerprint is at least one of an audio fingerprint or a video fingerprint.

Title: METHOD AND DEVICE FOR GENERATING AND DETECTING A FINGERPRINT FUNCTIONING AS A TRIGGER MARKER IN A MULTIMEDIA SIGNAL

- A non-transitory computer readable storage medium comprising 21. (Currently Amended) instructions that, when executed, cause one or more processors to execute operations comprising: providing a trigger time point $(T_n; T_{n+1})$ of a plurality of trigger time points within a multimedia signal,
 - the trigger time point $(T_n; T_{n+1})$ corresponding to a segment of a plurality of segments of the multimedia signal,
 - the trigger time point $(T_n; T_{n+1})$ corresponding to at least one of a a predetermined distance from the start of the segment or a predetermined distance from the end of the segment,
 - each segment of the plurality of segments being identified by one of the plurality of trigger time points and corresponding to specific content to be shown to a user;
 - providing a representation of an action that corresponds to the specific content to be shown by the segment of the multimedia signal,
 - the trigger time point $(T_n; T_{n+1})$ indicating a time point within the multimedia signal at which the action is to be triggered during a playback of the multimedia signal;
 - deriving a fingerprint based on the segment of the multimedia signal; and associating the derived fingerprint with the action.

22.-27. (Canceled)